


THE CHEMISTRY OF A HANGOVER


For most of us, a hangover is the price to pay for a night of drinking. However, we still don't know what exactly it is that causes them. In this graphic, we look at what happens to alcohol in your body, and some of the prime suspects for causing your hangover.



WHAT HAPPENS TO ALCOHOL IN YOUR BODY?

In the liver, ethanol is converted to acetaldehyde by the alcohol dehydrogenase enzyme, and then subsequently converted into acetate by the aldehyde dehydrogenase enzyme. Acetate can be broken down into carbon dioxide and water, then eliminated from the body. On average, the liver can break down alcohol at the rate of one unit (8 grams or 10 millilitres of pure alcohol) every hour.


1 DEHYDRATION



During alcohol intoxication, release of the anti-diuretic hormone (ADH) vasopressin is decreased, resulting in increased urination.


Alcohol has a diuretic effect on the body, increasing urine production. Alcohol-induced dehydration has been suggested as a cause for some hangover symptoms, but research suggests it isn't a major factor.

2 ACETALDEHYDE




Acetaldehyde, produced by the breakdown of alcohol, has toxic effects that could cause hangover symptoms. However, acetaldehyde concentration doesn't significantly correlate with hangover severity.

3 CONGENERS



Congeners are compounds other than ethanol in drinks. These include alcohols such as methanol, which breaks down into toxic formaldehyde and formic acid. Congeners can increase hangover severity.

4 IMMUNE SYSTEM



CYTOKINES INCREASED BY ALCOHOL CONSUMPTION

In particular, IL-12 & IFN-γ concentration changes show significant correlations with hangover severity

Alcohol causes changes in cytokine concentrations in the immune system. Studies have shown the effects caused by some cytokines are very similar to those of a hangover, strongly supporting their role.